

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark	
South Gujarat							
1	Bharuch	Valiya	132/66KV Valia	50-70	132 KV Valia	--	
2	Bharuch	Zagadia	66KV Dharoli	30-40			
3	Bharuch	Valiya	66KV Daheli	40-50			
4	Bharuch	Netrang	66KV Netrang	30-35			
5	Bharuch	Netrang	66KV Datt Nagar				
6	Bharuch	Netrang	66KV Petiya				
7	Bharuch	Netrang	66KV Bitada				
8	Bharuch	Netrang	66KV Mauza (Chasvad)				
9	Narmada	Dediapada	66KV Dediapada				
10	Narmada	Dediapada	66KV Saddapani				
11	Narmada	Dediapada	66KV Khaidipada (Borphita)				
12	Narmada	Dediapada	66KV Chikda				
13	Surat	Umargam	66KV Chimipatal (Satvan)				
14	Narmada	Dediapada	66KV Bal (Mozda)				
15	Bharuch	Ankleshwar	132/66KV Ankleshwar	50-70	132 KV Ankleshwar	--	
16	Bharuch	Ankleshwar	66KV Ankleshwar GIDC-A	50-70			
17	Bharuch	Ankleshwar	66KV Sengpur (Kapodara / Bakrol)				
18	Bharuch	Ankleshwar	66KV Ankleshwar GIDC-B	50-70			
19	Bharuch	Ankleshwar	66KV Ankleshwar (Urban)				
20	Bharuch	Hansot	66KV Hansot				
21	Bharuch	Ankleshwar	66KV Panoli GIDC				
22	Bharuch	Ankleshwar	66KV Samor (Kosmadi)				
23	Valsad	Atul	220/132/66KV Atul	50-70	220 KV Atul	--	
24	Valsad	Dharampur	66KV Dharampur	30-70			
25	Navsari	Khergam	66KV Jamanpada (Toranvera /				
26	Valsad	Dharampur	66KV Nani Vahiya				
27	Valsad	Dharampur	66KV Tiskari Talat				
28	Valsad	Valsad	66KV Velvachh				
29	Valsad	Valsad	66KV Atak Pardi (Valsad)				
30	Valsad	Dharampur	66KV Piprol				
31	Valsad	Dharampur	66KV Manai Chondi				
32	Valsad	Valsad	66KV Valandi (Navera)				
33	Valsad	Valsad	66KV Magod (Meh)				
34	Valsad	Pardi	66KV Umarsadi				
35	Valsad	Valsad	66KV Gundalav GIDC				
36	Valsad	Pardi	66KV Khadki Dungri				30-40
37	Valsad	Pardi	66KV Kolak				30-40
38	Valsad	Pardi	66KV Tukwada				
39	Valsad	Valsad	66KV Valsad City				

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
South Gujarat						
40	Valsad	Umargam	220/66KV Bhilad	50-70	220 KV Bhilad	--
41	Valsad	Umargam	66KV Umargam	30-40		
42	Valsad	Umargam	66KV Sarigam GIDC			
43	Valsad	Umargam	66KV Manekpore (Manda)			
44	Valsad	Umargam	66KV Sanjan			
45	Valsad	Umargam	66KV Vangam(Umargam-II)			
46	Valsad	Umargam	66KV Palgam			
47	Valsad	Umargam	66KV Bhilad	30-40		
48	Navsari	Chikhli	220/66KV Chikhli (Ambheta)	50-70	220 KV Chikhli	--
49	Dang	Vaghai	66KV Waghai	30-40		
50	Dang	Ahwa	66KV Ahwa			
51	Dang	Ahwa	66KV Saputara			
52	Navsari	Chikhli	66KV Tankal			
53	Navsari	Chikhli	66KV Butlav			
54	Navsari	Chikhli	66KV Limzar			
55	Navsari	Vansda	66KV Pratapnagar (Doldha)			
56	Navsari	Vansda	66KV Vansda			
57	Navsari	Vansda	66KV Lachhakdi			
58	Navsari	Vansda	66KV Ankalachh			
59	Navsari	Tapi	66KV Chunavadi			
60	Navsari	Vansda	66KV Vangan			
61	Navsari	Vansda	66 KV Mahuwas (Kevadi)			
62	Navsari	Chikhli	66KV Chikhli	30-40		
63	Navsari	Khergam	66KV Khergam			
64	Navsari	Chikhli	66KV Fadvel (Matwad)			
65	Navsari	Chikhli	66KV Rankuwa (Manekpor)			
66	Navsari	Chikhli	66KV Rumla (Amadhra)			
67	Navsari	Chikhli	66KV Sadadvel			
68	Navsari	Chikhli	66KV Godthal			
69	Navsari	Chikhli	66KV Anaval			
70	Surat	Mahuva	66KV Vaheval	30-40		
71	Navsari	Vansda	66KV Bhinar			
72	Valsad	Valsad	66KV Dungri (Valsad)			
73	Valsad	Valsad	66KV Untadi(Malvan Bigri)			
74	Navsari	Chikhli	66KV Balwada (Wagaldhara)	50-70		
75	Surat	Choryasi	220/66KV Ichhapore			
76	Surat	Olpad	66KV Olpad			
77	Surat	Olpad	66KV Saroli			
78	Surat	Olpad	66KV Karamla (Varod)			
79	Surat	Olpad	66KV Segvachhama			
80	Surat	Choryasi	66KV Pala			
81	Surat	Surat City	66KV Adajan			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark	
South Gujarat							
82	Surat	Choryasi	66KV SVNIT	30-40	220 KV Ichhapore	--	
83	Surat	Choryasi	66KV Gujarat Hira Bourse				
84	Surat	Choryasi	66KV Pal	30-40			
85	Surat	Choryasi	66KV Bhatha (Pal-2)				
86	Surat	Choryasi	66KV Variav				
87	Surat	Choryasi	66KV Kosad (Amroli)	30-40			
88	Surat	Choryasi	66KV Ichhapore	30-40			
89	Surat	Mandvi	220/66KV Kim	50-70			220 KV Kim
90	Surat	Kamrej	66KV Kamrej	30-40			
91	Surat	Kamrej	66KV Velanja	30-40			
92	Surat	Kamrej	66KV Karjan	50-70			
93	Surat	Mangrol	66KV Pipodara	40-50			
94	Surat	Mangrol	66KV Pipodara-II	40-50			
95	Surat	Mandvi	66KV Karanj	30-40			
96	Surat	Mandvi	66KV Areth (Nogama)				
97	Surat	Mangrol	66KV Fair deal Text Park	30-40			
98	Surat	Mangrol	66KV Palod (Kim)	30-40			
99	Surat	Mangrol	66KV Palod-2	30-40			
100	Surat	Surat City	66KV Mota Varachha	50-70	220 KV Utran	--	
101	Surat	Choryasi	66KV Tapi	50-70			
102	Surat	Choryasi	132/66KV Bhestan	50-70	132 KV Bhestan	--	
103	Surat	Choryasi	66KV Govalak (Udhana-B)	30-40			
104	Surat	Choryasi	66KV Bhagwati	30-40			
105	Surat	Choryasi	66KV Bhestan-B				
106	Surat	Choryasi	66KV Bhestan(Eklera)	50-70	220 KV Mota (Bardoli)	--	
107	Surat	Bardoli	220/66KV Mota (Bardoli)				
108	Surat	Bardoli	66KV Bardoli				
109	Surat	Bardoli	66KV Sarbhon (Bardoli)				
110	Surat	Bardoli	66KV Afva(Dungar)				
111	Surat	Mahuva	66KV Bamaniya				30-40
112	Surat	Mahuva	66KV Singod				
113	Surat	Mahuva	66KV Gopla (Kharvan)				
114	Surat	Mahuva	66KV Tarsadi				
115	Surat	Mahuva	66KV Mahuva				
116	Surat	Bardoli	66KV Kadod	30-40			
117	Surat	Bardoli	66KV Madhi				
118	Surat	Mandvi	66KV Mandvi				
119	Surat	Bardoli	66KV Mota	30-40			
120	Surat	Kamrej	66KV Parab (Mankna)	50-70			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
South Gujarat						
121	Tapi	Vyara	66KV Vyara	30-40	220 KV Mota (Bardoli)	--
122	Tapi	Vyara	66KV Borakhadi			
123	Tapi	Vyara	66KV Lotarva			
124	Tapi	Valod	66KV Degama (Bajipura)			
125	Tapi	Vyara	66KV Rupwada			
126	Tapi	Vyara	66KV Chikhalvav			
127	Tapi	Vyara	66KV Magarkui			
128	Tapi	Vyara	66KV Vyara-2			
129	Surat	Kamrej	66KV Sampura			
130	Surat	Mandvi	66KV Patna (Baudhan)			
131	Surat	Mandvi	66KV Kasal			
132	Tapi	Valod	66KV Bhimpore (Kanjod)	25-30		
133	Surat	Bardoli	66KV Manekpore			
134	Tapi	Valod	66KV Valod			
135	Tapi	Vyara	66KV Kelkui			
136	Tapi	Dolvan	66KV Kalkwa			
137	Tapi	Valod	66KV Virpor (Pathakwadi)			
138	Tapi	Valod	66KV Karanjkhed			
139	Tapi	Dolvan	66KV Pathakvadi			
140	Tapi	Vyara	66KV Dolvan			
141	Tapi	Songadh	66KV Jesingpura			
142	Tapi	Vyara	66KV Galkuva			
143	Tapi	Vyara	66KV Kapadvan			
144	Tapi	Vyara	66KV Mangaliya (Chimer)			
145	Tapi	Vyara	66KV Kalakva			
146	Navsari	Navsari	220/66KV Navsari	50-70	220 KV Navsari	--
147	Navsari	Gandevi	66KV Billimora	30-40		
148	Navsari	Gandevi	66KV Gandevi			
149	Navsari	Gandevi	66KV Gadat			
150	Navsari	Gandevi	66KV Amalsad			
151	Navsari	Jalalpore	66KV Dandi			
152	Navsari	Jalalpore	66KV Abrama			
153	Navsari	Jalalpore	66KV Sultanpur(Dandi)			
154	Navsari	Gandevi	66 KV Chhapar (Kotha)			
155	Navsari	Jalalpore	66KV Eroo			
156	Navsari	Navsari	66KV Chhapra (Navsari -B)	30-40		
157	Navsari	Jalalpore	66KV Dandi			
158	Navsari	Navsari	66KV Navsari city			
159	Navsari	Jalalpore	66KV Maroli	30-40		
160	Navsari	Jalalpore	66KV Tavdi (Viraval)	10-15		
161	Navsari	Navsari	66KV Vesma			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
South Gujarat						
162	Surat	Choryasi	220/66KV Sachin (Talangpore)	50-70	220 KV Sachin (Talangpore)	--
163	Surat	Choryasi	66KV Sachin -B	30-40		
164	Surat	Choryasi	66KV Vanz (Susml)			
165	Surat	Palsana	66KV Erthan (Lingad)			
166	Surat	Choryasi	66KV Kharvasa			
167	Surat	Palsana	66KV GETP			
168	Navsari	Jalalpore	66KV Mangrol			
169	Navsari	Jalalpore	66KV Ubhrat	30-40		
170	Surat	Choryasi	66KV Bhimrad (Sarsana)	30-40		
171	Surat	Choryasi	66KV Khajod (Magadalla)	30-40		
172	Surat	Choryasi	66KV Jiyav (Bamroli)			
173	Surat	Choryasi	66KV Vadod			
174	Surat	Choryasi	66KV Vesu	40-50		
175	Surat	Choryasi	66KV Bhimrad (Sarsana)			
176	Surat	Choryasi	66KV Vesu-2 (Magdalla)			
177	Surat	Choryasi	66KV Dumas			
178	Surat	Choryasi	66KV Pandesara	30-40		
179	Surat	Choryasi	66KV Jiav (Pandesara-II)	30-40		
180	Surat	Choryasi	66KV Sachin -A			
181	Surat	Choryasi	66KV Sachin-D			
182	Surat	Choryasi	66KV Sachin 'C			
183	Surat	Choryasi	220/66KV Popada		50-70	
184	Surat	Choryasi	66KV SUSM-1	30-40	220 KV Popda	--
185	Surat	Choryasi	66KV Bhatia			
186	Bharuch	Wagra	220/66KV Rahiyad	50-70	220 KV Suva (Rahiyad)	--
187	Bharuch	Wagra	66KV Samatpore (Sambheti)	50-70		
188	Bharuch	Wagra	66KV Galenda	50-70		
189	Bharuch	Wagra	66KV Suva	30-40		
190	Bharuch	Wagra	220/66KV Dahej	50-70	220 KV Dahej	--
191	Bharuch	Wagra	66KV Dahej	30-40		
192	Bharuch	Wagra	66KV Luna			
193	Bharuch	Wagra	66KV Vadadala (Dahej)			
194	Bharuch	Wagra	66KV Jolva			
195	Bharuch	Wagra	66KV Bhesali			
196	Surat	Mangrol	400/220/66KV Kosamba	50-70	400 KV Kosamba	--
197	Bharuch	Ankleshwar	66KV Panoli GIDC-2	50-70		
198	Surat	Mangrol	66KV Dinod	30-40		
199	Surat	Mangrol	66KV Kosamba	30-40		
200	Surat	Mangrol	66KV Kosamba-2			
201	Surat	Mangrol	66KV Kharach-II			
202	Surat	Mangrol	66KV Kharach (Tarsali)			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark		
South Gujarat								
203	Valsad	Vapi	220/66KV Vapi	50-70	220 KV Vapi	--		
204	Valsad	Dharampur	66KV Motaponda (Kakadkopar)	30-40				
205	Valsad	Vapi	66KV Moti Tambadi					
206	Valsad	Pardi	66KV Paria					
207	Valsad	Pardi	66KV Chival (Dhagadmal)					
208	Valsad	Kaparada	66KV Panas (Amdha)					
209	Valsad	Pardi	66KV Nimkhal					
210	Valsad	Pardi	66KV Kherlav					
211	Valsad	Vapi	66KV Kocharava (Rata Koparali)					
212	Valsad	Pardi	66KV Ambach (Balda)					
213	Valsad	Kaparada	66KV Kaparada					
214	Valsad	Kaparada	66KV Astol					
215	Valsad	Kaparada	66KV Sutharpada					
216	Valsad	Kaparada	66KV Shahuda					
217	Valsad	Umargam	66KV Damanganga GIDC				40-50	
218	Valsad	Umargam	66KV Karembale (Nahuli)					
219	Valsad	Vapi	66KV Chandor	30-40				
220	Valsad	Vapi	66KV GIDC -Vapi					
221	Valsad	Vapi	66KV GIDC Vapi -III rd. Ph.	30-40				
222	Valsad	Vapi	66KV Dungra					
223	Valsad	Vapi	66KV GIDC Vapi - IV th Ph.	30-40				
224	Valsad	Vapi	66KV GIDC -Vapi Ph.-II					
225	Valsad	Vapi	66KV Morai	30-40				
226	Valsad	Vapi	66KV Morai-2					
227	Surat	Kamrej	220/66KV Vav	50-70			220 KV Vav	--
228	Surat	Kamrej	66KV Kosmada	40-50				
229	Surat	Choryasi	66KV Godadara					
230	Surat	Palsana	66KV Kadodara	30-40				
231	Surat	Palsana	66KV Palsana					
232	Surat	Palsana	66KV Tatithaiya					
233	Surat	Palsana	66KV Jolva					
234	Surat	Choryasi	66KV Punakumbharia					
235	Surat	Kamrej	66KV Laskan					
236	Surat	Kamrej	66KV Laskana -2	30-40				
237	Surat	Kamrej	66KV Vav					
238	Surat	Olpad	66KV Sivan (Sayan west)	30-40				
239	Surat	Olpad	66KV Delad					
240	Surat	Palsana	66KV Niyol (Kadodara-2)	30-40				
241	Surat	Surat City	66KV Laxminarayan Ind. Estate					
242	Surat	Choryasi	66KV Deladva					
243	Surat	Choryasi	66KV Sarthana	30-40				
244	Bharuch	Wagra	220/66KV Wagra	50-70	220 KV Wagra	--		
245	Bharuch	Wagra	66KV Vilayat	30-40				
246	Bharuch	Bharuch	66KV Kukarwada					
247	Bharuch	Bharuch	66KV Sayakha					

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
South Gujarat						
248	Tapi	Songadh	66KV Borda	30-40	220 KV Ukai Hydro	--
249	Tapi	Songadh	66KV Bhogvad			
250	Tapi	Kukarmunda	66KV Borikuva			
251	Tapi	Songadh	66KV Sagbara			
252	Tapi	Nizar	66KV Nizar	30-40		
253	Tapi	Nizar	66KV Kelani (Kukarmunda)			
254	Tapi	Kukarmunda	66KV Hathoda (Tapi)			
255	Tapi	Nizar	66KV Higni Digar (Pankhala/Piplod/Dumkhal)			
256	Tapi	Nizar	66KV Balda/Nimbhora			
257	Tapi	Uchchhal	66KV Rumkitalav			
258	Tapi	Uchchhal	66KV Uchchhal			
259	Tapi	Uchchhal	66KV Vadpada(Naranpur)			
260	Tapi	Songadh	66KV Chikhali Bhesrot (Khodtalav)	30-40		
261	Tapi	Vyara	66KV Unchamala			
262	Tapi	Songadh	66KV Vadi Bhesrot			
263	Tapi	Songadh	66KV Waghnera			
264	Surat	Mandvi	66KV Beddha (Kherwada)			
265	Surat	Mandvi	66KV Sisor (Panchpipla)			
266	Tapi	Songadh	66KV Ukai	30-40		
267	Tapi	Songadh	66KV Songadh			
268	Tapi	Songadh	66KV Kavla			
269	Tapi	Songadh	66KV Kumkuva			
270	Tapi	Songadh	66KV Jamkhadi (Hindala)			
271	Tapi	Songadh	66KV Vadpada P Umarda			
272	Tapi	Songadh	66KV Taparwada (Borpada)			
273	Tapi	Songadh	66KV Vadpada (Tokarva)			
274	Dang	Ahwa	66KV Malangdev			
275	Dang	Subir	66KV Subir			
276	Tapi	Vyara	220/66 KV Virpore / Virpur	50-70	220KV Virpore	--

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Central Gujarat						
1	Chhota Udaipur	Chhotaudepur	132/66KV Chhota Udepur (Vasedi)	50-70	132 KV Chhota Udepur (Vasedi)	--
2	Chhota Udaipur	Chhotaudepur	132/66 KV Zoz	40-50		
3	Chhota Udaipur	Chhotaudepur	66KV Vanar	30-40		
4	Chhota Udaipur	Bodeli	66KV Bodeli	30-40		
5	Chhota Udaipur	Bodeli	66KV Patiya (Ranbhun)			
6	Chhota Udaipur	Bodeli	66KV Uchapan			
7	Chhota Udaipur	Bodeli	66KV Kharedivav			
8	Chhota Udaipur	Pavi-Jetpur	66KV Vadodo			
9	Chhota Udaipur	Pavi-Jetpur	66KV Pavi-Jetpur			
10	Chhota Udaipur	Chhotaudepur	66KV Simal faliya (Harwant)			
11	Chhota Udaipur	Pavi-Jetpur	66KV Thambhala (Sajva)	30-40		
12	Chhota Udaipur	Pavi-Jetpur	66KV Dev Mori (Rangli chokdi)			
13	Chhota Udaipur	Chhotaudepur	66KV Lehvant (Rangpur Sadli)			
14	Chhota Udaipur	Chhotaudepur	66KV Judavant			
15	Chhota Udaipur	Kawant	220/66KV Kawant	50-70	220 KV Kawant	--
16	Chhota Udaipur	Kawant	66KV Bhekhadiya (Bhaka)	30-40		
17	Chhota Udaipur	Naswadi	66KV Sengpur (Khanda)			
18	Chhota Udaipur	Naswadi	66KV Ratanpur			
19	Chhota Udaipur	Naswadi	66KV Vaghach (Gadhboriyad)	30-40		
20	Chhota Udaipur	Kawant	66KV Panvad			
21	Chhota Udaipur	Kawant	66KV Rendi (Manka)			
22	Dahod	Dahod	132/66KV Dahod	50-70	132 KV Dahod	--
23	Dahod	Dahod	66KV Kharedi (Chhapri)	30-40		
24	Dahod	Dahod	66KV Kharedi (Chhapri)			
25	Dahod	Dahod	66KV Kathala			
26	Dahod	Dahod	66KV Navagam			
27	Dahod	Garbada	66KV Garbada (Nalvai)	30-40		
28	Dahod	Dahod	66KV Bavaka (Gadoi)			
29	Dahod	Garbada	66KV Vajelav (Jesavada)			
30	Dahod	Zalod	220/66 KV Rupakheda	50-70		
31	Dahod	Zalod	66KV Karath (Limdi)	30-40		
32	Dahod	Zalod	66KV Zalod			
33	Dahod	Zalod	66KV Gultora			
34	Dahod	Limkheda	132/66KV Limkheda	40-50	132 KV Limkheda	--
35	Dahod	Devgadh Bariya	66KV Devgadh-Baria	30-40		
36	Dahod	Devgadh Bariya	66KV Piplod			
37	Dahod	Devgadh Bariya	66KV Keliya (Jambusar)			
38	Dahod	Devgadh Bariya	66KV Dabhwa (Fangiya)			
39	Dahod	Dhanpur	66KV Singavali (Pipero)	30-40		
40	Dahod	Limkheda	66KV Limkheda	30-40		
41	Vadodara	Savli	132/66KV Manjusar	50-70	132 KV Manjusar	--
42	Vadodara	Desar	66KV Descar	30-40		
43	Vadodara	Savli	66KV Savli			
44	Vadodara	Savli	66KV Tundav			
45	Vadodara	Savli	66KV Alindra(Manjusar)			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark		
Central Gujarat								
46	Vadodara	Vadodara	220/132/66KV Gotri	50-70	132 KV Gotri	--		
47	Vadodara	Padra	66KV Samiyala (Tandalja)	50-70				
48	Vadodara	Padra	66KV Padra					
49	Vadodara	Padra	66KV Mahuvad	50-70				
50	Vadodara	Vadodara	66KV Bhayli					
51	Vadodara	Vadodara	66KV Koyali	50-70				
52	Vadodara	Vadodara	66KV Sherkhi					
53	Vadodara	Vadodara	66KV Vasana	50-70				
54	Vadodara	Vadodara City	66KV Vidhyutnagar					
55	Vadodara	Vadodara City	66KV Atladra	50-70				
56	Vadodara	Vadodara	66KV Gotri-B					
57	Vadodara	Vadodara City	66KV Subhanpura	30-40				
58	Vadodara	Vadodara City	66KV Gorwa	20-25			132 KV Mahemdabad	--
59	Kheda	Mehemdabad	132/66KV Mahemdabad					
60	Kheda	Kheda	66KV Kheda					
61	Kheda	Kheda	66KV Matar					
62	Kheda	Kheda	66KV Samadra					
63	Kheda	Matar	66KV Traj					
64	Kheda	Matar	66KV Palla					
65	Kheda	Matar	66KV Limbasi					
66	Kheda	Vaso	66KV Vaso					
67	Kheda	Mehemdabad	66 KV Wathwadi		30-40			
68	Kheda	Mehmedabad	66KV Jinjar		30-40			
69	Kheda	Mehmedabad	66KV Haldarwas					
70	Kheda	Mehmedabad	66KV Varsola (Devki Vansol/Vamali)					
71	Kheda	Mahutha	66KV Shehri (Alina)					
72	Kheda	Mahutha	66KV Ruppura	50-70	132 KV Nadiad	--		
73	Kheda	Mahutha	66KV Mahudha					
74	Kheda	Nadiad	132/66KV Nadiad					
75	Anand	Anand	66KV Samarkha	30-40				
76	Kheda	Galteshwar	66KV Vadad					
77	Kheda	Nadiad	66KV Chaklasi					
78	Kheda	Nadiad	66KV Malarpura (Chaklasi Party)					
79	Kheda	Nadiad	66KV Palaiya	30-40	132 KV Nadiad	--		
80	Kheda	Nadiad	66KV Kamla (Nadiad City)					
81	Kheda	Nadiad	66KV Dabhan	30-40				
82	Kheda	Mehemdabad	66KV Sandhana	30-40	132 KV Nandesari	--		
83	Vadodara	Vadodara	132/66KV Nandesari	50-70				
84	Vadodara	Savli	66KV Rania (Moxi) GIDC	30-40				
85	Vadodara	Vadodara	66KV Nandesari-I					
86	Vadodara	Savli	66KV Poicha	50-60				
87	Vadodara	Vadodara	66KV Nandesari-III					
88	Vadodara	Vadodara	66KV Ranoli GIDC	30-40				

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Central Gujarat						
89	Anand	Anand	132/66KV Ode	50-70	132 KV Ode	--
90	Anand	Anand	66KV Vasad	30-40		
91	Anand	Anand	66KV Kunjarav (Rasnoi)			
92	Anand	Anand	66KV Sarsa			
93	Anand	Umreth	66KV Sureli	30-40		
94	Kheda	Thasra	66KV Nesh	30-40		
95	Kheda	Thasara	66KV Thasra			
96	Anand	Anand	66KV Bhalej			
97	Anand	Umreth	66KV Umreth			
98	Kheda	Thasara	66KV Rakhiyal	50-70		
99	Ahmedabad	Dascroi	132/66KV Narol			
100	Ahmedabad	Dascroi	66KV Jetalpur			
101	Ahmedabad	Dascroi	66KV Paldi Kankaj			
102	Ahmedabad	Dascroi	66 KV Navagam			
103	Ahmedabad	Dascroi	66KV Lambha (Kamod)			
104	Ahmedabad	Dascroi	220/66KV Barejadi			
105	Kheda	Kheda	66KV Bidaj (Vanch)			
106	Ahmedabad	Dascroi	66KV Vinjol (Gatrad)			
107	Ahmedabad	Dascroi	66KV Bhuvaldi			
108	Ahmedabad	Dascroi	66KV Bilasiya	30-40	220 KV Barejadi	--
109	Ahmedabad	Dascroi	66KV Vehlal			
110	Ahmedabad	Dascroi	66KV Kanbha			
111	Ahmedabad	Dascroi	66KV Hirapur			
112	Ahmedabad	Dascroi	66KV Bakrol Bujrang			
113	Ahmedabad	Dascroi	66KV Dhamatwan			
114	Ahmedabad	Dascroi	66 KV Nenpur			
115	Mehsana	Kadi	400/220/66KV Vadavi			
116	Ahmedabad	Ahmedabad	66KV Sarkhej (Shela)	40-50	400 KV Vadavi	--
117	Ahmedabad	Dascroi	66KV Bopal			
118	Ahmedabad	Dascroi	66KV Science City			
119	Ahmedabad	Dascroi	66KV Bhadaj			
120	Ahmedabad	Ahmedabad	132/66KV Sabarmati	50-70	132 KV Sabarmati	--
121	Gandhinagar	Gandhinagar	66KV Adalaj			
122	Gandhinagar	Gandhinagar	66KV Sargasan			
123	Ahmedabad	Ahmedabad City	66KV Traghad			
124	Ahmedabad	Dascroi	66KV Khoraj (shaligram)			
125	Ahmedabad	Dascroi	66 KV Goderej City			
126	Narmada	Tilakwada	132/66KV Tilakwada	50-70	132 KV Tilakwada	--
127	Chhota Udaipur	Bodeli	66KV Chalamali (Vanadha)			
128	Chhota Udaipur	Bodeli	66KV Koshindra			
129	Chhota Udaipur	Naswadi	66KV Naswadi			
130	Narmada	Tilakwada	66KV Soikuva			
131	Narmada	Tilakwada	66KV Namalpur	40-50		

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Central Gujarat						
132	Narmada	Nandod	66KV Navagam	50-70	132 KV Tilakwada	--
133	Narmada	Nandod	66KV Amadla (Nandod)			
134	Narmada	Tilakwada	66KV Katkoi			
135	Narmada	Nandod	66KV Garudeshwar (Devaliya)			
136	Narmada	Tilakwada	66KV Limpura (Utavdi)	30-40		
137	Vadodara	Dabhoi	66KV Chandod	20-40		
138	Vadodara	Dabhoi	66KV Pisai (Sathod)			
139	Vadodara	Sinor	66KV Simli (Segwa)			
140	Bharuch	Zagadiya	220/132/66KV Achhalia	50-70	220 KV Achhalia	--
141	Bharuch	Zagadiya	66KV Rajpardi	30-40		
142	Bharuch	Zagadiya	66KV Zagadia			
143	Bharuch	Zagadiya	66KV Vanakpore (Umadhara)			
144	Bharuch	Zagadiya	66KV Avidha			
145	Bharuch	Zagadiya	66KV Bhalod (Govali)			
146	Bharuch	Zagadiya	66KV Panetha	30-40		
147	Narmada	Nandod	66KV Rajpipla	25-30		
148	Narmada	Nandod	66KV Mota Raipura (Gopalpura)			
149	Narmada	Nandod	66 KV Anijara (Lachhras)			
150	Narmada	Nandod	66KV Bhacharwada			
151	Narmada	Nandod	66 KV Amletha			
152	Narmada	Nandod	66KV Pratapnagar (Umalla)			
153	Narmada	Nandod	66 KV Rajuwadiya	50-70		
154	Narmada	Nandod	66KV Ori	50-70	220 KV Bhat	--
155	Ahmedabad	Sanand	220/66 KV Bhat			
156	Ahmedabad	Sanand	400/220/66 KV Chharodi			
157	Ahmedabad	Sanand	66KV Vinchhiya (Mankol)			
158	Ahmedabad	Dascroi	66KV Bhat (Bavla)			
159	Ahmedabad	Sanand	66KV Changodar			
160	Ahmedabad	Sanand	66KV Sanathal			
161	Ahmedabad	Dascroi	66KV Visalpur			
162	Ahmedabad	Sanand	66KV Chharodi			
163	Ahmedabad	Viramgam	66KV Thuleta			
164	Ahmedabad	Sanand	66KV Madhavnagar			
165	Ahmedabad	Sanand	66 KV Shella			
166	Ahmedabad	Sanand	66 KV Ambali			
167	Ahmedabad	Sanand	66KV Sanand GIDC			
168	Panchmahal	Halol	220/66KV Chandrapura	50-70	220 KV Chandrapura	--
169	Panchmahal	Ghoghamba	66KV Ghoghamba	30-40		
170	Panchmahal	Ghoghamba	66KV Simaliya (Rinchhvani)			
171	Panchmahal	Halol	66KV Shivrajpur			
172	Panchmahal	Ghoghamba	66KV Ranjitnagar			
173	Panchmahal	Ghoghamba	66KV Kantu (Bor)			
174	Panchmahal	Halol	66KV GIDC Halol B			
175	Panchmahal	Halol	66KV Tarkhanda (Panchdevia)			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Central Gujarat						
176	Panchmahal	Halol	66KV GIDC - Halol	30-40	220 KV Chandrapura	--
177	Panchmahal	Kalol	66KV Madhwas	30-40		
178	Vadodara	Savli	66KV Ankaliya (Nharpara)	30-40		
179	Panchmahal	Halol	66KV Baska			
180	Panchmahal	Halol	66KV KhaKharia			
181	Panchmahal	Godhra	220/132/66KV Godhra	50-70	220 KV Godhra	--
182	Panchmahal	Kalol	66KV Vejalpur	30-40		
183	Panchmahal	Kalol	66KV Kalol			
184	Panchmahal	Kalol	66KV Bhukhi (Gangadiya)			
185	Panchmahal	Kalol	66 KV Bhadroli Khurd			
186	Panchmahal	Godhra	66KV Lilesara	30-40		
187	Panchmahal	Godhra	66KV Santroad	30-40		
188	Panchmahal	Morvahadaf	66KV Rajayata			
189	Panchmahal	Morvahadaf	66KV Chandpur			
190	Panchmahal	Morvahadaf	66KV Mota Amalia			
191	Panchmahal	Godhra	66KV Jafrabad (Govindi)	20-25		
192	Panchmahal	Godhra	66KV Timba			
193	Vadodara	Desar	66KV Vachhchesar (Tulsigam)			
194	Panchmahal	Godhra	66KV Tuva(kankanapur)	30-40		
195	Panchmahal	Morvahadaf	66KV Gokulpur (Morwa Raina)			
196	Panchmahal	Shehra	66KV Shehera			
197	Panchmahal	Shehra	66KV Nandarva			
198	Panchmahal	Shehra	66KV Panam Dam	50-70		
199	Panchmahal	Shehra	66KV Padardi			
200	Vadodara	Vadodara	220/132/66KV Jambuva			
201	Vadodara	Dabhoi	66KV Dabhoi	10-15	220 KV Jambuva	--
202	Chhota Udaipur	Sankheda	66KV Sankheda			
203	Chhota Udaipur	Sankheda	66KV Rampura			
204	Chhota Udaipur	Sankheda	66KV Bhatpur			
205	Vadodara	Vadodara	66KV Indrapuri	50-70		
206	Vadodara	Vadodara City	66KV Waghodia Road	30-40		
207	Vadodara	Vadodara	66KV Gajrawadi			
208	Vadodara	Vadodara City	66KV Motibaug			
209	Vadodara	Vadodara City	66KV Tarsali	50-70		
210	Vadodara	Vadodara City	66KV Makarpura-GIDC-B			
211	Vadodara	Vadodara City	66KV Makarpura GIDC-A			
212	Vadodara	Waghodiya	220/66KV Waghodia	50-70	220 KV Waghodia	--
213	Vadodara	Padra	220/66KV Gavasad	50-70	220 KV Gavasad	--
214	Vadodara	Padra	66KV Karkhadi	50-70		
215	Vadodara	Padra	66KV Gavasad			
216	Vadodara	Padra	66KV Mobha			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Central Gujarat						
217	Bharuch	Zagadiya	220/66KV Jhagadia	50-70	220 KV Jhagadia	--
218	Bharuch	Zagadiya	66KV Randedi	50-70		
219	Bharuch	Zagadiya	66KV Selod / Malpore	30-40		
220	Bharuch	Zagadiya	66KV Dadheda (Zagadia GIDC)	30-40		
221	Bharuch	Bharuch	132/66KV Bharuch	50-70	132 KV Bharuch	--
222	Bharuch	Bharuch	220/132/66KV Haldarwa	50-70	220 KV Haldarwa	--
223	Bharuch	Amod	66KV Samni (Kurchan)	15-20		
224	Bharuch	Wagra	66KV Muller			
225	Bharuch	Bharuch	66KV Palej	40-50		
226	Bharuch	Bharuch	66KV Zonor (Nabipur)	20-25		
227	Bharuch	Bharuch	66KV Bharuch -B	25-30		
228	Bharuch	Bharuch	66KV Bori (Hingala)			
229	Bharuch	Wagra	66KV Wagra			
230	Bharuch	Bharuch	66KV Panchbatti			
231	Bharuch	Bharuch	66KV Kadod	30-40		
232	Bharuch	Bharuch	66KV Haldarva	30-40		
233	Vadodara	Karjan	66KV Rarod (Nareshwar)	20-25		
234	Vadodara	Karjan	66KV Saring			
235	Kheda	Kapadvanj	220/66KV Kapadvanj	50-70		
236	Kheda	Kapadvanj	66KV Kapadvanj GIDC	30-40		
237	Kheda	Kapadvanj	66KV Tayabpura (Samjota Nagar)	30-40		
238	Kheda	Kapadvanj	66KV Nirmali	25-30		
239	Kheda	Kapadvanj	66KV Attarsumba			
240	Kheda	Kapadvanj	66KV Hamirpura (Bhailakui)			
241	Kheda	Kapadvanj	66KV Torna	30-40		
242	Kheda	Kathlal	66KV Aral			
243	Kheda	Kathlal	66KV Chhipadi (Khalal)			
244	Kheda	Kathlal	66KV Kathlal	30-40		
245	Kheda	Mahmedabad	66KV Aklacha			
246	Kheda	Kathlal	66KV Abhripur (Bharkunda)			
247	Kheda	Kathlal	66KV Anara	40-50		
248	Kheda	Thasra	66KV Mor Aambli			
249	Kheda	Thasra	66KV Chetarsumba	10-15		
250	Mahisagar	Balasinor	66KV Jorapura			
251	Mahisagar	Balasinor	66KV Bhanthala			
252	Mahisagar	Balasinor	66KV Relia			
253	Kheda	Galteshwar	66KV Sevalia			
254	Kheda	Balasinor	66KV Rozva	50-70		
255	Mahisagar	Balasinor	66KV Balasinor			
256	Ahmedabad	Dascroi	220/66KV Khanpur			
257	Ahmedabad	Dascroi	66KV Kuha			
258	Ahmedabad	Dascroi	66 KV Bahiyal			
259	Anand	Anand	220/66KV Mogar	50-70	220 KV Mogar	--

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark		
Central Gujarat								
260	Bharuch	Amod	66KV Sarbhan	10-15	220 KV Amod	--		
261	Bharuch	Amod	66KV Ochhan (Telod -Ikhar)					
262	Vadodara	Karjan	66KV Handod					
263	Vadodara	Karjan	220/66KV Karjan	50-70	220 KV Karjan	--		
264	Vadodara	Dabhoi	66KV Karvan (Kayavarohan)	20-25				
265	Vadodara	Karjan	66KV Simali					
266	Vadodara	Sinor	66KV Sadhali					
267	Vadodara	Sinor	66KV Sinor					
268	Vadodara	Padra	66KV Masar Road	40-50				
269	Vadodara	Karjan	66KV Kashipura (Ramangamdi)	30-40				
270	Vadodara	Karjan	66KV Lakodara	30-40				
271	Anand	Anand	220/66KV Karamsad	50-70			220 KV Karamsad / 220 KV Mogar	--
272	Anand	Anand	66KV Anand	30-40				
273	Anand	Anand	66KV Gopalpura					
274	Anand	Anand	66KV Anand Agri. University					
275	Anand	Anand	66KV Boriavi (Jol)					
276	Anand	Anand	66KV V.V. Nagar	30-40				
277	Anand	Anand	66KV Vithal Udyognagar	30-40				
278	Anand	Petlad	66KV Mahelav					
279	Anand	Petlad	66KV Changa					
280	Kheda	Nadiad	66KV Uttarsanda					
281	Kheda	Nadiad	66KV Akhdol	30-40				
282	Anand	Anand	66KV Karamsad					
283	Anand	Anklav	66KV Anklav					
284	Anand	Anklav	66KV Bhetasi					
285	Anand	Anklav	66KV Navakhali (Khedasa)					
286	Anand	Borsad	66KV Borsad					
287	Anand	Borsad	66KV Shinglav	30-40				
288	Anand	Anand	66KV Navli					
289	Anand	Anklav	66KV Khadol (Haldari)					
290	Anand	Borsad	66KV Ras					
291	Anand	Petlad	66KV Sundarna	30-40				
292	Anand	Petlad	66KV Virsad	30-40				
293	Anand	Petlad	66KV Nar					
294	Anand	Cambay	66KV Timba					
295	Anand	Petlad	66KV Petlad	30-40				
296	Anand	Sojitra	66KV Kasor					
297	Ahmedabad	Ahmedabad	220/132/66KV Ranasan	50-70	220 KV Ranasan	--		
298	Ahmedabad	Ahmedabad	66KV Naroda	30-40				
299	Ahmedabad	Ahmedabad	66KV Odhav					
300	Ahmedabad	Ahmedabad	66KV Kathvada					
301	Gandhinagar	Gandhinagar	66KV Muthia	30-40				
302	Ahmedabad	Dasroi	66KV Chandkheda	30-40				
303	Ahmedabad	Dasroi	66 KV Bhat					

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark		
Central Gujarat								
304	Vadodara	Waghodiya	400/220/66KV Asoj	50-70	400 KV Asoj	--		
305	Vadodara	Vadodara	132/66KV Fertilizarnagar	50-70				
306	Vadodara	Savli	66KV Khakhariya	30-40				
307	Vadodara	Savli	66KV Pratapnagar (Godampura)	30-40				
308	Vadodara	Waghodiya	66KV Asoj (Paldi)					
309	Vadodara	Waghodiya	66KV Vyankatpura					
310	Vadodara	Waghodiya	66KV Jarod					
311	Vadodara	Vadodara	66KV Amaliyara					
312	Vadodara	Vadodara City	66KV Chhani-A					
313	Vadodara	Vadodara City	66KV Chhani -B					
314	Vadodara	Vadodara City	66KV Sama					
315	Mahisagar	Lunawada	220/66KV Savdasna Muvada	50-70			220 KV Savdasna Mauda	--
316	Mahisagar	Lunawada	66KV Lunawada	30-40				
317	Mahisagar	Santrampur	66KV Movasa					
318	Mahisagar	Lunawada	66KV Kothamba					
319	Mahisagar	Lunawada	66KV Ved(vardhadari)					
320	Mahisagar	Santrampur	66KV Santrampur					
321	Mahisagar	Santrampur	66KV Valakhedi (Gothib)Vaneda					
322	Dahod	Fatepura	66KV Lakhapur					
323	Dahod	Fatepura	66KV Sarasva					
324	Mahisagar	Kadana	66KV Ditvas	30-40				
325	Mahisagar	Khanpur	66KV Bakor (Lavana)					
326	Mahisagar	Khanpur	66KV Motakhanpur					
327	Mahisagar	Virpur	66KV Virpur					
328	Mahisagar	Lunawada	66KV Sadhakpur (Dhamod)	20-25				
329	Mahisagar	Balasinor	66KV Pandava (Parbia)					
330	Mahisagar	Lunawada	66KV Limbadiya					
331	Mahisagar	Virpur	66KV Salaiya					
332	Mahisagar	Virpur	66KV Debhari					
333	Mahisagar	Lunawada	66KV Budhajina Tekra		30-40			
334	Aravalli	Malpur	66KV Helodar	30-40				
335	Mahisagar	Santrampur	66KV Limda Muvadi (Moti Sarsan)	25-30				
336	Mahisagar	Santrampur	66KV Mora					
337	Mahisagar	Santrampur	66KV Malvan					
338	Vadodara	Waghodiya	220/66KV Vyankatpura	40-50	220 KV Vyankatpura	--		
339	Panchmahal	Halol	66KV Madar (Koprej)	30-40				
340	Vadodara	Waghodiya	66KV Rustampura	30-40				
341	Chhota Udaipur	Bodeli	66KV Surya					
342	Vadodara	Vadodara	66KV Khatamba	40-50				
343	Vadodara	Vadodara City	66KV Harni					

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Central Gujarat						
344	Ahmedabad	Bavla	220/66KV Bagodara	50-70	220 KV Bagodara	Maximum 50-70 MW RE injection feasible
345	Ahmedabad	Bavla	220/66KV Salejada	50-70	220 KV Salejada	
346	Ahmedabad	Bavla	66KV Juval rupavati	25-30		
347	Ahmedabad	Bavla	66KV Ramnagar (Bavla)			
348	Ahmedabad	Bavla	66KV Kerala			
349	Ahmedabad	Bavla	66KV Bavla	25-30		
350	Ahmedabad	Sanand	66KV Nani Devti			
351	Ahmedabad	Sanand	66KV Rajoda			
352	Ahmedabad	Sanand	66KV Moraiya			
353	Ahmedabad	Sanand	66KV Vendor Park			
354	Ahmedabad	Sanand	66KV Bol-2(GIDC)			
355	Ahmedabad	Sanand	66KV Sanand-2			
356	Ahmedabad	Bavla	66KV Bol-1(GIDC)			
357	Ahmedabad	Bavla	66KV Kalyangadh	30-40		
358	Ahmedabad	Dholka	66KV Dholka City			
359	Ahmedabad	Dholka	66KV Koth	30-40		
360	Ahmedabad	Dholka	66KV Raipur			
361	Ahmedabad	Dholka	66KV Simej			
362	Ahmedabad	Dholka	66KV Walthera			
363	Ahmedabad	Dholka	66KV Ingoli road			
364	Ahmedabad	Dholka	66KV Dholka GIDC	30-40		
365	Ahmedabad	Dholka	66KV Pisawada			
366	Ahmedabad	Dholka	66 KV Shetra			
367	Ahmedabad	Dholka	66KV Chandisar (Keliya Vasna)	30-40		
368	Kheda	Nadiad	66KV Navagam (Nyka)	30-40		

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
1	Ahmedabad	Viramgam	220/66KV Viramgam	40-50	220 KV Viramgam	Maximum 70-100 MW RE injection feasible
2	Ahmedabad	Viramgam	66KV Jakhawada	15-20		
3	Ahmedabad	Sanand	66KV Chharodi	15-20		
4	Ahmedabad	Viramgam	66KV Thuleta			
5	Gandhinagar	Gandhinagar	132/66KV Chiloda	50-70	132 KV Chiloda	--
6	Gandhinagar	Gandhinagar	66KV Unava	30-40		
7	Gandhinagar	Dehgam	66KV Sadra			
8	Gandhinagar	Mansa	66KV Pethapur			
9	Sabarkantha	Prantij	66KV Kamalpur			
10	Gandhinagar	Mansa	66KV Manekpur (Grambharti)	10-15		
11	Gandhinagar	Gandhinagar	66KV Shahpur			
12	Gandhinagar	Gandhinagar	66KV Dabhoda			
13	Banaskantha	Deesa	132/66KV Deesa	50-70	132 KV Deesa	--
14	Banaskantha	Deesa	66KV Bhildi	30-40		
15	Banaskantha	Deesa	66KV Lorwada			
16	Banaskantha	Deesa	66KV Balodhar			
17	Banaskantha	Deesa	66KV Manekpura	30-40		
18	Banaskantha		66KV Juna Deesa			
19	Banaskantha	Deesa	66KV Ranpur	30-40		
20	Banaskantha		66KV Kant			
21	Patan	Patan	132/66KV Patan	40-50	132 KV Patan	--
22	Patan	Patan	66KV Kamliwada	30-40		
23	Patan	Patan	66KV Samalpati	30-40		
24	Patan	Saraswati	66KV Kansa	10-15		
25	Patan	Shihori	66KV Anganwada			
26	Patan	Sidhpur	132/66KV Siddhpur	50-70		
27	Banaskantha	Vadgam	66KV Basu	30-40	132 KV Siddhpur	--
28	Banaskantha	Vadgam	66KV Kakoshi			
29	Banaskantha	Vadgam	66KV Chhapi			
30	Mehsana	Unjha	66KV Kahoda			
31	Patan	Sidhpur	6KV Khali	30-40		
32	Patan	Unjha / Mehsana	66KV Tundav			
33	Patan	Sidhpur	66KV Mudana	10-15		
34	Patan	Sidhpur	66KV Sujapur			
35	Sabarkantha	Prantij	132/66KV Talod	50-70	132 KV Talod	--
36	Sabarkantha	Prantij	66KV Prantij	30-40		
37	Sabarkantha	Prantij	66KV Talod GIDC			
38	Sabarkantha	Prantij	66KV D'Muvadi			
39	Sabarkantha	Prantij	66KV Tajpur			
40	Sabarkantha	Talod	66KV Ujediya	15-20		
41	Sabarkantha	Talod	66KV Harsol	30-40		

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
42	Banaskantha	Lakhani	220/66KV Agathala	50-70	220 KV Agathala	--
43	Banaskantha	Lakhni, Deodar	66KV Rantila	15-20		
44	Banaskantha		66KV Lakhani			
45	Banaskantha		66KV Agathala			
46	Banaskantha	Deodar, Lakhani	66KV Soni	30-40		
47	Banaskantha		66KV Shergadh			
48	Banaskantha	Lakhani	66KV Kotda (D)	30-40		
49	Banaskantha		66KV Chekara			
50	Banaskantha	Lakhani	66KV Motakapra	30-40		
51	Banaskantha	Deesa	66KV Rampura Dama			
52	Banaskantha	Lakhani	66KV Godha			
53	Banaskantha	Deesa	66KV Nesda			
54	Banaskantha	Deodar	66KV Jalota	20-25		
55	Banaskantha	Tharad	66KV Taruva	30-40		
56	Sabarkantha	Himmatnagar	220/66KV Agiyol	50-70	220 KV Agiyol	--
57	Sabarkantha	Himmatnagar	66KV Dedhrota	20-25		
58	Sabarkantha	Himmatnagar	66KV Munpur			
59	Sabarkantha	Himmatnagar	66KV Balvantpura			
60	Sabarkantha	Himmatnagar	66KV Hansalpur			
61	Sabarkantha	Prantij	66KV Amodara	20-25		
62	Sabarkantha	Himmatnagar	66KV Sonasan	30-40		
63	Sabarkantha	Himmatnagar	66KV Hajipur			
64	Sabarkantha	Himmatnagar	66KV Dalpur			
65	Sabarkantha	Himmatnagar	66KV Himmatnagar-1	20-25		
66	Sabarkantha	Himmatnagar	66KV Parabda			
67	Sabarkantha	Himmatnagar	66KV Gadhoda			
68	Sabarkantha	Himmatnagar	66KV Nikoda	20-25		
69	Sabarkantha	Himmatnagar	66KV Gadhi	20-25		
70	Sabarkantha	Himmatnagar	66KV Gambhoi			
71	Sabarkantha	Himmatnagar	66KV Rupal			
72	Sabarkantha	Himmatnagar	66KV Himmatnagar-2			
73	Patan	Bechraji / Mehsana	220/66KV Bechraji	50-70	220 KV Becharaji	--
74	Patan	Chanasma	66KV Maniyari	10-15		
75	Patan	Bechraji / Mehsana	66KV Modhera			
76	Gandhinagar	Kalol	220/66KV Chhatral	50-70	220 KV Chhatral	--
77	Gandhinagar	Kalol	66KV Pansar	30-40		
78	Gandhinagar	Kalol	66KV Chhatral GIDC			
79	Gandhinagar	Kalol	66KV Borisana	30-40		
80	Gandhinagar	Kalol	66KV Vadsar			
81	Gandhinagar	Kalol	66KV Kalol			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
82	Gandhinagar	Kalol	66KV Dhanot	30-40	220 KV Chhatral	--
83	Mehsana	Kalol	66KV Karannagar			
84	Mehsana	Kadi	66KV Khavad	30-40		
85	Mehsana	Kadi	66KV Sadra			
86	Mehsana	Kadi	66KV Rangpurda (Nanikadi)	30-40		
87	Mehsana	Kadi	66KV Nandasan			
88	Mehsana	Kadi	66KV Indrad (Ratnamani)			
89	Mehsana	Kadi	66KV Rajpur	50-70		
90	Aravali	Bhiloda	220/66KV Bhutiya			
91	Aravali	Bhiloda	66KV Bhiloda	30-40	220 KV Bhutiya	--
92	Aravali	Bhiloda	66KV Ubsal			
93	Aravali	Bhiloda	66KV Torada			
94	Aravali	Bhiloda	66KV Bhiloda			
95	Sabarkantha	Vijaynagar	66KV Vijaynagar			
96	Sabarkantha	Vijaynagar	66KV Pal			
97	Aravali	Bhiloda	66KV Jinjudi (Kanadar)			
98	Sabarkantha	Vijaynagar	66KV Dantod			
99	Aravali	Bhiloda	66KV Shamlaji (Palla)	10-15		
100	Aravali	Bhiloda	66KV Rangpur (Nava Venpur)			
101	Aravali	Bhiloda	66KV Bhetali (Mehru)			
102	Aravali	Bhiloda	66KV Vankaner			
103	Aravali	Bhiloda	66KV Kheradi	10-15		
104	Sabarkantha	Khedbrahma	66KV Tandaliya			
105	Sabarkantha	Vijaynagar	66KV Kundala	30-40		
106	Sabarkantha	Vadali	66KV Choriwad	30-40		
107	Sabarkantha	Idar	66KV Chitroda			
108	Sabarkantha	Idar	66KV Badoli	50-70		
109	Sabarkantha	Idar	132/66KV Idar			
110	Sabarkantha	Idar	66KV Sudarpur	15-20		
111	Sabarkantha	Idar	66KV Lai Ranasan	50-70	220 KV Dhansura	--
112	Aravali	Dhansura	220/66 KV Dhansura			
113	Aravali	Bayad	66KV Ambaliyara	10-15		
114	Kheda	Kapadvanj	66KV Vyas Vasna			
115	Kheda	Kapadvanj	66KV Shihora (Khanpur / Telnal)			
116	Aravali	Dhansura	66KV Akhund(Haripura)	20-25		
117	Aravali	Bayad	66KV Demai			
118	Aravali	Bayad	66KV Bayad			
119	Aravali	Bayad	66KV Sangal (Vasnirol)	30-40		
120	Aravali	Dhansura	66KV Vadagam			
121	Aravali	Bayad	66KV Untarada	30-40		
122	Aravali	Talod	66KV Rozad			
123	Sabarkantha	Talod	66KV Punsari	15-20		
124	Sabarkantha		66KV Bayal			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
125	Gandhinagar	Gandhinagar	220/66KV Jamla	50-70	220 KV Jamla	--
126	Gandhinagar	Gandhinagar	66KV Randheja	30-40		
127	Gandhinagar	Gandhinagar	66KV Moti Adrej			
128	Gandhinagar	Kalol	66KV Soja - II	20-25		
129	Gandhinagar	Kalol	66KV Nardipur			
130	Mehsana	Kadi	66KV Karjisan			
131	Gandhinagar	Kalol	66KV Veda			
132	Gandhinagar	Kalol	66KV Itla	30-40		
133	Mehsana	Gozariya	66KV Gozaria	30-40		
134	Mehsana	Gozariya	66KV Gozariya-2			
135	Mehsana	Gozariya	66KV Boru			
136	Mehsana	Gozariya	66KV Charada			
137	Mehsana	Gozariya	66KV Kharna			
138	Aravali	Modasa	220/66KV Faredi	50-70	220 KV Faredi	--
139	Aravali	Malpur	66KV Malpur	15-20		
140	Aravali	Malpur	66KV Limbodara			
141	Aravali	Meghraj	66KV Ramgadhi			
142	Aravali	Meghraj	66KV Kherai			
143	Aravali	Modasa	66KV Chandtekri (Modasa City/2)			
144	Aravali	Modasa	66KV Dugarwada (Kolikhad)			
145	Aravali	Modasa	66KV Modasa			
146	Sabarkantha	Himmatnagar	66KV Raygadh			
147	Aravali	Modasa	66KV Limbhoi			
148	Aravali	Modasa	66KV Medhasan			
149	Aravali	Meghraj	66KV Meghraj			
150	Aravali	Meghraj	66KV Bhatkota (Dhandhiya)	15-20		
151	Aravali	Meghraj	66KV Relawada			
152	Aravali	Meghraj	66KV Shangal			
153	Aravali	Meghraj	66KV Panchal			
154	Aravali	Meghraj	66KV Kasana			
155	Aravali	Meghraj	66KV Waghpur			
156	Aravali	Meghraj	66KV Rajpur (Ramghadi)			
157	Aravali	Meghraj	66KV Navagam (isari) Kantalu			
158	Aravali	Meghraj	66KV Lakshmanpura (Lusadiya)			
159	Gandhinagar	Dehgam	66KV Rakhiyal		30-40	220 KV Khanpur
160	Gandhinagar	Dehgam	66KV Halisa	25-30		
161	Gandhinagar	Dehgam	66KV Khanpur (Lihoda)			
162	Gandhinagar	Gandhinagar	66KV Chhala	30-40		
163	Gandhinagar	Dehgam	66KV Dehgam			
164	Gandhinagar	Dehgam	66KV Kadadar(Zak)			
165	Gandhinagar	Dehgam	66KV Chiskari	30-40		
166	Gandhinagar	Dehgam	66KV Mirapur			
167	Kheda	Kathlal	66KV Apruji	30-40		
168	Gandhinagar	Gandhinagar	66KV Kadjodra	30-40		
169	Gandhinagar	Gandhinagar	66KV Bahial	30-40		
170	Gandhinagar	Gandhinagar	66KV Kudasana(Koba)			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
171	Banaskantha	Deesa	220/66KV Jangral	50-70	220 KV Jangral	--
172	Banaskantha	Deesa	66KV Sadarpur	25-50		
173	Banaskantha	Deesa	66KV Samau			
174	Banaskantha	Deesa	66KV Bhatsan			
175	Banaskantha	Deesa	66KV Rasana	30-40		
176	Banaskantha	Deesa	66KV Aseda			
177	Banaskantha	Deesa	66KV Samdhi	30-40		
178	Banaskantha	Palanpur	66KV Gadh			
179	Patan	Sarasvati	66KV Mesar	10-15		
180	Patan	Sarasvati	66KV Dharusana	30-40		
181	Patan	Saraswati	66KV Jangral	30-40		
182	Patan	Saraswati	66KV Kimbuva	15-20		
183	Patan	Sidhpur	66KV Kalyana	30-40		
184	Mehsana	Mehsana	220/132/66KV Mehsana	50-70		
185	Patan	Chanasma	66 KV Dhinoj	20-25		
186	Mehsana	Becharji	66KV Motap	30-40		
187	Mehsana	Mehsana	66KV Palavasna			
188	Mehsana	Mehsana	66KV Nagalpur (Mehsana-II)	15-20		
189	Mehsana	Visnagar	66KV Basna			
190	Mehsana	Visnagar	66KV Udalpur	30-40		
191	Mehsana	Visnagar	66 KV Kherva			
192	Mehsana	Visnagar	66KV Bhandu			
193	Mehsana	Visnagar	66KV Valam	50-70		
194	Mehsana	Visnagar	132/66KV Visnagar			
195	Mehsana	Visnagar	66KV Bhalak (Transwad)			
196	Mehsana	Visnagar	66KV Gothwa			
197	Mehsana	Visnagar	66KV Kamana	30-40	132 KV Visnagar	--
198	Mehsana	Kheralu	220/66KV Kheralu	50-70		
199	Mehsana	Kheralu	66KV Sakari	20-25	220 KV Kheralu	--
200	Banaskantha	Vadgam	66KV Moriya			
201	Banaskantha	Vadgam	66KV Sukhpura			
202	Banaskantha	Vadgam	66KV Panchada			
203	Banaskantha	Vadgam	66KV Kodram			
204	Banaskantha	Danta	66KV Ambaji			
205	Banaskantha	Danta	66KV Gorad			
206	Banaskantha	Danta	66KV Kuvarsi			
207	Banaskantha	Danta	66KV Solsanda			
208	Mehsana	Satlasana	66KV Dharoi	20-25		
209	Banaskantha	Danta	66KV Satalsana			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark		
North Gujarat								
210	Mehsana	Kheralu	66KV Kheralu	30-40	220 KV Kheralu	--		
211	Mehsana	Kheralu	66KV Mandali	25-30				
212	Mehsana	Unjha	66KV Dasaj	10-15				
213	Mehsana	Kheralu	66KV Varethha					
214	Mehsana	Satlasana	66KV Sudasana (Umari)					
215	Palanpur	Satlasana	66KV Motasada					
216	Mehsana	Satlasana	66KV Otapur					
217	Mehsana	Unjha	66KV Unjha	20-25				
218	Mehsana	Unjha	66KV Karali					
219	Mehsana	Visnagar	66KV Umta					
220	Mehsana	Visnagar	66 KV Thalota	10-15				
221	Mehsana	Vadnagar	66KV Vadnagar					
222	Mehsana	Vadnagar	66KV Undhai (Pipaldhar)					
223	Mehsana	Vijapur	66KV Jantral					
224	Mehsana	Vijapur	66KV Sundarpur					
225	Mehsana	Vijapur	66KV Ladol	50-70			220 KV Mitha	--
226	Mehsana	Jotana	220/66 KV Mitha					
227	Mehsana	Mehsana	66KV Asjol					
228	Mehsana	Mehsana	66KV Balol					
229	Mehsana	Jotana	66KV Mitha					
230	Mehsana	Jotana	66KV Suraj					
231	Mehsana	Jotana	66KV Kasalpur (Jotana)					
232	Mehsana	Jotana	66KV Mudarda					
233	Mehsana	Detroi / Ahmedabad	66KV Katosan					
234	Mehsana	Mehsana	66KV Langhnaj					
235	Mehsana	Mehsana	66KV Linch	30-40				
236	Mehsana	Mehsana	66KV Mandali					
237	Mehsana	Mehsana	66KV Akhaj					
238	Banaskantha	Palanpur	220/66KV Palanpur					
239	Banaskantha	Amirgadh	66KV Amirgadh	30-40	220 KV Palanpur	--		
240	Banaskantha	Amirgadh	66KV Iqbagadh					
241	Banaskantha	Amirgadh	66KV Juni Sarotri (Balundra)					
242	Banaskantha	Amirgadh	66KV Hebatpur					
243	Banaskantha	Amirgadh	66KV Bhayala	30-40				
244	Banaskantha	Amirgadh	66KV Virampur					
245	Banaskantha	Amirgadh	66KV Malan					
246	Banaskantha	Amirgadh	66KV Vasan					
247	Banaskantha	Amirgadh	66KV Palanpur-2					
248	Banaskantha	Vadgam	66KV Jalotra	30-40				
249	Banaskantha	Danta	66KV Danta					
250	Banaskantha	Danta	66KV Gangva					

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
251	Banaskantha	Vadgam	66KV Gidasan	25-30	220 KV Palanpur	--
252	Banaskantha	Vadgam	66KV Vadgam			
253	Banaskantha	Vadgam	66KV Rupal			
254	Banaskantha	Vadgam	66KV Pilucha			
255	Banaskantha	Palanpur	66KV Kanodar	25-30		
256	Banaskantha	Palanpur	66KV Lalwada			
257	Banaskantha	Palanpur	66KV Gadawada			
258	Banaskantha	Dantiwada	66KV Bhakar	30-40		
259	Banaskantha	Palanpur	66KV Chandisar			
260	Banaskantha	Dantiwada	66KV Dantiwada	20-25		
261	Banaskantha	Palanpur	66KV Rajpur (Pakhanva)			
262	Banaskantha	Palanpur	66KV Bhutedi			
263	Banaskantha	Palanpur	66KV Palanpur-1	30-40		
264	Patan	Patan	66KV Anawada	50-70		
265	Banaskantha	Kankrej	66KV Raner	30-40		
266	Banaskantha	Sihori	66KV Sampra	30-40		
267	Banaskantha	Sihori	66KV Umbari			
268	Banaskantha	Sihori	66KV Kamboi	50-70	220 KV Sankhari	--
269	Patan	Sankhari	220/66KV Sankhari			
270	Patan	Chanasma	66KV Chanasma			
271	Patan	Chanasma	66KV Ziliya (Keshani)			
272	Patan	Chanasma	66KV Kamboi			
273	Patan	Patan	66KV Balisana			
274	Patan	Patan	66KV Manud			
275	Patan	Patan	66KV Norta (Mandotri)			
276	Patan	Unjha / Mehsana	66KV Unava			
277	Banaskantha	Tharad	220/66KV Tharad	50-70	220 KV Tharad	--
278	Banaskantha	Bhabar, Vav	66KV Runi	10-15		
279	Banaskantha		66KV Rampura			
280	Banaskantha		66KV Tithgam			
281	Banaskantha		66KV Balodhan			
282	Banaskantha		66KV Bhabar			
283	Banaskantha	Deodar, Tharad	66KV Kotarwada	10-15		
284	Banaskantha		66KV Makhanu			
285	Banaskantha		66KV Mera			
286	Banaskantha		66KV Chalva			
287	Banaskantha		66KV Jetda			
288	Banaskantha		66KV Del			
289	Banaskantha	Tharad	66KV Ghodasar	20-25		
290	Banaskantha		66KV Asodar			
291	Banaskantha		66KV Rah			
292	Banaskantha		66KV Pathamda			
293	Banaskantha	Tharad	66KV Tadav	8-10		
294	Banaskantha	Tharad	66KV Piluda	8-10		
295	Banaskantha		66KV Dedarada			
296	Banaskantha		66KV Dudhva			
297	Banaskantha		66KV Tharad			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
North Gujarat						
298	Banaskantha	Dhanera	220/66KV Thavar	50-70	220 KV Thavar (Dhanera)	--
299	Banaskantha	Dhanera	66KV Dhanera	20-25		
300	Banaskantha	Dhanera	66KV Voda			
301	Banaskantha	Dhanera	66KV Samarvada			
302	Banaskantha	Lakhani	66KV Jadiyahali	30-40		
303	Banaskantha		66KV Nandala			
304	Banaskantha	Dhanera	66KV Dhakha	30-40		
305	Banaskantha	Tharad	66KV Duva			
306	Banaskantha	Dhanera	66KV Jadia	15-20		
307	Banaskantha	Dhanera	66KV Bhatib			
308	Banaskantha	Dhanera	66KV Dharnodhar			
309	Banaskantha	Dhanera	66KV Kuvarala			
310	Banaskantha	Dhanera	66KV Lavara	30-40		
311	Banaskantha	Dhanera	66KV Nenava			
312	Banaskantha	Dhanera	66KV Nanuda			
313	Banaskantha	Dhanera	66KV Malotra	8-10		
314	Banaskantha	Dhanera	66KV Siya			
315	Banaskantha	Deesa	66KV Nanameda			
316	Banaskantha	Dhanera	66KV Vaktapura			
317	Banaskantha	Deodar	66KV Jasanvada (Khandosan)	25-30	220 KV Deodar	--
318	Banaskantha	Kankrej	66KV Terwada			
319	Banaskantha	Kankrej	66KV Jalmor	15-20		
320	Banaskantha	Sihori	66KV Sihori			
321	Banaskantha	Sihori	66KV Padardi			
322	Banaskantha	Sihori	66KV Dugrasan	20-25		
323	Banaskantha	Sihori	66KV Thara			
324	Banaskantha	Mera	66KV Mera	25-30		
325	Banaskantha	Mera	66KV Mitha			
326	Banaskantha	Mera	66KV Vadiya			
327	Banaskantha	Deodar	66KV Vakha	10-15		
328	Banaskantha	Deodar	66KV Ravel			
329	Banaskantha	Deodar	66KV Chamanpura			
330	Banaskantha	Kankrej	66KV Khimana	15-20		
331	Banaskantha	Deesa	66KV Ramvas			
332	Banaskantha	Deodar	66KV Khoda			
333	Banaskantha	Deodar	66KV Mithipaldi	20-25		
334	Banaskantha	Deodar	66KV Duchakwada			
335	Banaskantha	Deodar	66KV Vatam			
336	Banaskantha	Deodar	66KV Kotda (F)			
337	Banaskantha	Deodar	220/66KV Deodar	50-70		
338	Banaskantha	Deodar	66KV Deodar	30-40		
339	Banaskantha	Deodar	66KV Raiya	5-25		
340	Banaskantha	Kankrej	66KV Kuvarva			
341	Banaskantha	Kankrej	66KV Arniwada			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name fo District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark		
North Gujarat								
342	Banaskantha	Deesa	400/220/66KV Zerda	50-70	400 KV Kansari (Zerda)	--		
343	Banaskantha	Dantiwada	66KV Jegol	10-15				
344	Banaskantha	Dantiwada	66KV Ganguvada					
345	Banaskantha	Dantiwada	66KV Panthwada					
346	Banaskantha	Deesa	66KV Vithodar					
347	Banaskantha	Lakhani	66KV Devsari	10-15				
348	Banaskantha	Lakhani	66KV Pechhdal					
349	Banaskantha	Deesa	66KV Nagfana					
350	Banaskantha	Deesa	66KV Malgadh	30-40				
351	Banaskantha	Deesa	66KV Ramun	10-15				
352	Banaskantha	Deesa	66KV Sherpura					
353	Banaskantha	Deesa	66KV Zerda	10-15				
354	Banaskantha	Dhanera	66KV Bhatram					
355	Banaskantha	Deesa	66KV Khimat					
356	Banaskantha	Deesa	66KV Dama					
357	Banaskantha	Deesa	66KV Samsherpura	30-40				
358	Banaskantha	Deesa	66KV Gadha					
359	Banaskantha	Dantiwada	66KV Bhadli Kotha	30-40				
360	Banaskantha	Deesa	66KV Baiwada					
361	Patan	Radhanpur	220/66KV Radhanpur	50-70	220 KV Radhanpur	--		
362	Banaskantha	Vav	66KV Bhandhavad (Dev)	8-10				
363	Banaskantha	Kankrej	66KV Jakhel					
364	Banaskantha	Kankrej	66KV Un	15-20				
365	Patan	Santalpur	66KV Dahisar					
366	Banaskantha	Kankrej	66KV Khariya					
367	Gandhinagar	Mansa	66KV Mansa	30-40	220 KV Vijapur	--		
368	Gandhinagar	Mansa	66KV Lodra					
369	Mehsana	Mansa	66 KV Vihar	30-40				
370	Mehsana	Visnagar	66KV Kada					
371	Sabarkantha	Idar	66KV Mau					
372	Sabarkantha	Idar	66KV Vasai					
373	Mehsana	Vijapur	220/66KV Vijapur	50-70				
374	Mehsana	Vijapur	66KV Pilwai (Veda)	20-25				
375	Mehsana	Vijapur	66KV Malosan	15-20				
376	Mehsana	Vijapur	66KV Tatosan					
377	Mehsana	Vijapur	66KV Vadasan					
378	Mehsana	Vijapur	66KV Ranasan	25-45				
379	Mehsana	Vijapur	66KV Sanghpur					
380	Mehsana	Himmatnagar	66KV Derol					
381	Mehsana	Vijapur	66KV Hirpura	50-70			400 KV Vadavi	--
382	Gandhinagar	Kalol	220/66KV Santej					
383	Gandhinagar	Kalol	66KV Moti Bhoyan					
384	Gandhinagar	Kalol	66KV Khatraj					
385	Gandhinagar	Kalol	66KV Santej					
386	Mehsana	Kadi	66KV Kadi					
387	Mehsana	Kadi	66KV Laxmipura					
388	Ahmedabad	Detroj	66KV Katosan					
389	Mehsana	Kadi	66KV Meda Adraj					
390	Mehsana	Kadi	66KV Meda	30-50				
391	Mehsana	Kadi	66KV Thol					

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Saurashtra						
1	Junagadh	Junagadh	132/66KV Junagadh	40-50	132 KV Junagadh	Maximum 40-50 MW RE injection
2	Junagadh	Junagadh	66KV Bilkha	20-25		
3	Junagadh	Bhesan	66KV Chhodvadi			
4	Jamnagar	Jamnagar	132/66KV Naghedi	40-50	132 KV Naghedi	Maximum 40-50 MW RE injection feasible
5	Jamnagar	Jamnagar	66KV Dhichada	30-40		
6	Jamnagar	Jamnagar	66KV Shapar (Baid)	30-40		
7	Jamnagar	Jamnagar	66KV Lakha Bavali			
8	Jamnagar	Jamnagar	66KV Lal Bangalow			
9	Jamnagar	Jamnagar	66KV Navagam Ghed			
10	Jamnagar	Jamnagar	66KV Bedeshwar	20-30		
11	Jamnagar	Jamnagar	66KV Saatrasta			
12	Jamnagar	Jamnagar	66KV Chikuwadi (Gordhanpar) (Ravalsar)			
13	Jamnagar	Jamnagar	66KV Hapa GIDC			
14	Jamnagar	Jamnagar	66KV Jamnagar-C	30-40		
15	Devbhumi	Jam-Khambhaliya	66KV Vadinar	30-40	132 KV Sikka	--
16	Gir Somnath	Veraval	132/66KV Talaja	40-50	132 KV Talaja	Maximum 40-50 MW RE injection feasible
17	Gir Somnath	Veraval	66KV Veraval			
18	Gir Somnath	Veraval	66KV Moraj			
19	Gir Somnath	Veraval	66KV Chandkhatal	30-40		
20	Gir Somnath	Veraval	66KV Adri			
21	Gir Somnath	Talala	66KV Jepur			
22	Gir Somnath	Veraval	66KV Ghusia			
23	Rajkot	Rajkot	132/66KV Vikram	40-50	132 KV Vikram	Maximum 40-50 MW RE injection feasible
24	Rajkot	Rajkot	66KV Punitnagar (Rajkot-B)			
25	Rajkot	Rajkot	66KV Mavdi Rd. (Rajkot)	30-40		
26	Rajkot	Rajkot	66KV Shastri medan			
27	Rajkot	Rajkot	66KV Laxminagar			
28	Rajkot	Rajkot	66KV Mota Mava			
29	Rajkot	Rajkot	66KV Khokhadad			
30	Rajkot	Rajkot	66KV Tramba			
31	Rajkot	Rajkot	66KV Kherdi			
32	Rajkot	Rajkot	66KV Faldang	10-15		
33	Rajkot	Rajkot	66KV Magharvada			
34	Rajkot	Rajkot	66KV Hadmatiya (Golida)			
35	Rajkot	Rajkot	66KV Raj Samadhiyala			
36	Rajkot	Rajkot	66KV Punitnagar-II	30-40		
37	Rajkot	Rajkot	66KV Kotharia	30-40		
38	Rajkot	Rajkot	66KV Nilkanth			
39	Jamnagar	Jamnagar	66KV Aliabada		10-15	
40	Jamnagar	Jamnagar	66KV Jamvanthali			
41	Jamnagar	Jamnagar	66KV Hamapar		25-30	
42	Jamnagar	Jamnagar	66KV Jamnagar-B			
43	Jamnagar	Jamnagar	66KV Chella			
44	Jamnagar	Jamnagar	66KV Morkanda			
45	Jamnagar	Lalpur	66KV Rajhans (GIDC Ph-III)	30-40		

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Saurashtra						
46	Gir Somnath	Girgadhada	220/66KV Dhokadva	50-70	220 KV Dhokadava	Maximum 50-70 MW RE injection feasible
47	Gir Somnath	Una	66 KV Dandi	25-30		
48	Gir Somnath	Girgadhada	66KV Rabarika	25-30		
49	Gir Somnath	Girgadhada	66KV Luvani Moli			
50	Gir Somnath	Girgadhada	66KV Bodidar	10-15		
51	Gir Somnath	Kodinar	66KV Adpokar/ Mitiyaz	30-35		
52	Gir Somnath	Girgadhada	66KV Zud Vadli (Khapat)			
53	Gir Somnath	Una	66KV Vajadi			
54	Rajkot	Kotda-sangdi	220/66KV Kangasiyali	50-70	220 KV Kangashiya li	Maximum 50-100 MW RE injection feasible
55	Rajkot	Kotda-sangdi	66KV Shapar	50-70		
56	Rajkot	Kotda-sangdi	66KV Siddheshwar (Shapar-II)			
57	Rajkot	Kotda-sangdi	66KV Hirni	30-35		
58	Rajkot	Rajkot	66KV Vavdi			
59	Rajkot	Rajkot	66KV Kothariya (Solvant)	40-50		
60	Rajkot	Rajkot	66KV Khambha			
61	Rajkot	Lodhika	66KV Ravki	50-70	220 KV Shapur	Maximum 50-70 MW RE injection feasible
62	Junagadh	Vanthali	220/132/66KV Shapur	20-25		
63	Junagadh	Bhesan	66KV Mendpara			
64	Junagadh	Junagadh City	66KV Junagadh (GIDC)			
65	Junagadh	Junagadh City	66KV Zanzarda (JU. City)			
66	Junagadh	Junagadh	66KV Choki			
67	Junagadh	Junagadh	66KV Majejadi	15-20		
68	Junagadh	Mendarda	66KV Arniyana			
69	Junagadh	Vanthali	66KV Mahobatpur (Navagam)			
70	Junagadh	Mendarda	66KV Khimpadar			
71	Junagadh	Vanthali	66KV Vadala			
72	Junagadh	Manavadar	66KV Katakpara	30-40		
73	Junagadh	Keshod	66KV Raningpara	30-40		
74	Junagadh	Vanthali	66KV Shapur	25-30		
75	Junagadh	Vanthali	66KV Kanza	20-25		
76	Junagadh	Vanthali	66KV Agatrai			
77	Junagadh	Vanthali	66KV Bamanasa			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Saurashtra						
78	Rajkot	Rajkot	220/66KV Nyara	50-70	220 KV Nyara	Maximum 50-100 MW RE injection feasible
79	Rajkot	Paddhari	66KV Padadhri	25-30		
80	Rajkot	Paddhari	66KV Sarapdad			
81	Rajkot	Paddhari	66KV Targhadi			
82	Rajkot	Paddhari	66KV Mota Khijadia			
83	Rajkot	Paddhari	66KV Nyara			
84	Rajkot	Rajkot	66KV Ghanteshwar (Rajkot-D)			
85	Rajkot	Rajkot city	66KV University Rd.	50-70	220 KV Keshod	Maximum 50-70 MW RE injection feasible
86	Rajkot	Rajkot	66KV Raiyadher			
87	Junagadh	Keshod	220/66KV Keshod	50-70		
88	Junagadh	Keshod	66KV Keshod	30-35		
89	Junagadh	Keshod	66KV Movana	10-15		
90	Junagadh	Mendarda	66KV Patrama (Khalipipli)			
91	Junagadh	Keshod	66KV Sondarada			
92	Junagadh	Keshod	66KV Ajab	10-15		
93	Junagadh	Keshod	66KV Koylana			
94	Junagadh	Maliya Hatina	66KV Vadala (Dharampur)	20-25		
95	Junagadh	Maliya Hatina	66KV Amrapar			
96	Junagadh	Keshod	66 KV Bhat Simroli			
97	Junagadh	Keshod	66 KV Moti Ghasri			
98	Junagadh	Mangrol	66KV Chandvana			
99	Junagadh	Mangrol	66KV Shil			
100	Junagadh	Mangrol	66 KV Mangrol			
101	Junagadh	Keshod	66 KV Khirsara			
102	Junagadh	Keshod	66 KV Ishara			
103	Junagadh	Maliya Hatina	66KV Maliya (Hatina)			
104	Junagadh	Maliya Hatina	66 KV Kadaya			
105	Junagadh	Maliya Hatina	66KV Bhanduri			
106	Junagadh	Maliya Hatina	66KV Chorwad (Gadu)			
107	Junagadh	Maliya Hatina	66KV Laduli			
108	Junagadh	Maliya Hatina	66KV Chuldi			
109	Junagadh	Maliya Hatina	66KV Mendarda	15-20		
110	Junagadh	Maliya Hatina	66KV Nani Khodiyar	30-35		
111	Junagadh	Mangrol	66KV Chotli Vidi			
112	Junagadh	Maliya Hatina	66KV Budhecha			
113	Rajkot	Dhoraji	66 KV Moti Parabdi (Toraniya)	25-30	400 KV Jetpur	Maximum 50-70 MW RE injection feasible
114	Rajkot	Jetpur	66KV Jetpur-A	20-25		
115	Rajkot	Jetpur	66KV Panch Pipla (Kerali)	20-25		
116	Rajkot	Jetpur	66KV Dhoraji Bypass			
117	Rajkot	Jetpur	66KV Mandlikpur	10-15		
118	Rajkot	Jetpur	66KV Jetalsar			
119	Rajkot	Jetpur	66KV Arab Timbadi			
120	Rajkot	Jetpur	66KV Devki Galol	8-10		
121	Junagadh	Bhesan	66KV Khambhaliya (Mandva)			
122	Amreli	Kunka-vav	66KV Hanuman Khijadiya			
123	Rajkot	Jetpur	66KV Jetpur-B			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Saurashtra						
124	Gir Somnath	Kodinar	220/66KV Timbdi	50-70	220 KV Timbdi	Maximum 50-70 MW RE injection feasible
125	Gir Somnath	Sutrapada	66KV Moradiya	30-40		
126	Gir Somnath	Kodinar	66KV Sindhaj	10-15		
127	Gir Somnath	Kodinar	66KV Aranej	30-40		
128	Gir Somnath	Sutrapada	66KV Lodhwa (Singsar)			
129	Gir Somnath	Sutrapada	66 KV Gorakhmadi			
130	Gir Somnath	Veraval	66KV Navadra (Sundarpara)			
131	Gir Somnath	Sutrapada	66KV Prashnavada	30-40		
132	Gir Somnath	Sutrapada	66KV Kanjotar(Barda)			
133	Gir Somnath	Sutrapada	66KV Singasar	30-40		
134	Gir Somnath	Sutrapada	66KV Sutrapada	50-70		
135	Gir Somnath	Veraval	66KV Veraval (GIDC)			
136	Gir Somnath	Veraval	66KV Bhalka(GIS)			
137	Gir Somnath	Veraval	66KV Prabhas Patan	30-40		
138	Gir Somnath	Kodinar	66 KV Kodinar			
139	Gir Somnath	Kodinar	66 KV Devli	20-25		
140	Gir Somnath	Kodinar	66 KV Jantrakhadi			
141	Gir Somnath	Kodinar	66 KV Advi	20-25		
142	Gir Somnath	Veraval	66KV Bhetali			
143	Gir Somnath	Talala	66KV Amblash	30-40		
144	Gir Somnath	Talala	66KV Raydi			
145	Gir Somnath	Talala	66KV Ankolwadi	15-20		
146	Gir Somnath	Talala	66KV Dhava			
147	Gir Somnath	Talala	66KV Jasadhar			
148	Gir Somnath	Sutrapada	66KV Pranchi			
149	Gir Somnath	Kodinar	66KV Ghantwad	30-40		
150	Gir Somnath	Kodinar	66KV Alidar			
151	Bhavanagar	Bhavnagar	220/66KV Vartej	50-70	220 KV Vartej	Maximum 50-70 MW RE injection feasible
152	Bhavanagar	Bhavnagar	66KV Bandar Road	30-40		
153	Bhavanagar	Bhavnagar	66KV Sardarnagar	10-15		
154	Bhavanagar	Bhavnagar	66KV Sidsar			
155	Bhavanagar	Ghogha	66KV Mamsa-2			
156	Bhavanagar	Bhavnagar	66KV Bhumbhali			
157	Bhavanagar	Bhavnagar	66KV Bhadi	30-40		
158	Bhavanagar	Ghogha	66KV Nathugadh			
159	Bhavanagar	Bhavnagar	66KV Bhavnagar	30-40		
160	Bhavanagar	Bhavnagar	66KV Valketgate			
161	Bhavanagar	Bhavnagar	66KV Vartej-II (Chitra)			
162	Bhavanagar	Bhavnagar	66KV Nari Road	30-35		
163	Bhavanagar	Bhavnagar	66KV Desainagar	20-25		
164	Bhavanagar	Ghogha	66KV Kharakdi (Samdhiyara)			
165	Bhavanagar	Shihor	66KV Sar	30-40		
166	Bhavanagar	Bhavnagar	66KV Navagam (Kardej)			
167	Bhavanagar	Shihor	66KV Shihor			
168	Bhavanagar	Shihor	66KV Sihor-2	15-20		
169	Bhavanagar	Shihor	66KV Nesda			
170	Bhavanagar	Shihor	66KV Ghanghali			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Saurashtra						
171	Junagadh	Visavadar	220/66KV Visavadar	50-70	220 KV Visavadar	Maximum 50-70 MW RE injection feasible
172	Junagadh	Visavadar	66KV Dhebar	15-40		
173	Junagadh	Visavadar	66KV Bhalgam			
174	Junagadh	Visavadar	66KV Navihaliyad			
175	Junagadh	Bhesan	66KV Junidhari Gundali (TadkaPipliya)			
176	Junagadh	Bhesan	66KV Chuda			
177	Junagadh	Bhesan	66KV Morvada			
178	Junagadh	Bhesan	66KV Chanaka			
179	Junagadh	Bhesan	66KV Ishwariya			
180	Junagadh	Bhesan	66KV Bhesan			
181	Junagadh	Bhesan	66kV Barvala (Bhesan)			
182	Junagadh	Visavadar	66KV Mota Kotda	15-20		
183	Junagadh	Visavadar	66KV Ratang (Magharadi)			
184	Junagadh	Mendarda	66KV Itali			
185	Junagadh	Visavadar	66KV Baradia	30-40		
186	Junagadh	Visavadar	66KV Khambhaliya (Ozat)			
187	Junagadh	Visavadar	66KV Govindpara (Jetalvad)	30-40		
188	Junagadh	Visavadar	66KV Vekariya			
189	Amreli	Dhari	66KV Malsika			
190	Amreli	Bagasara	66KV Kagdadi			
191	Amreli	Dhari	66KV Bhader	20-25		
192	Junagadh	Visavadar	66KV Moti Monpari			
193	Junagadh	Visavadar	66KV Sarsai (Vadli)			
194	Junagadh	Visavadar	66KV Kankchiyala	20-50		
195	Junagadh	Visavadar	66KV Bhutdi			
196	Rajkot	Rajkot	400/220/66KV Hadala	50-70	400 KV Hadala	Maximum 50-70 MW RE injection feasible
197	Rajkot	Rajkot	66KV Navagam (Rajkot - F)	30-40		
198	Rajkot	Rajkot	66KV Vijaynagar (Hadala)	30-35		
199	Rajkot	Rajkot	66KV Aji Dahisarda	30-40		
200	Rajkot	Rajkot	66KV Popatpara	30-40		
201	Morbi	Morbi	220/66KV Morbi	50-70	220 KV Morbi	Maximum 50-70 MW RE injection feasible
202	Morbi	Morbi	66KV Jodhpar(Nadi)	30-35		
203	Morbi	Morbi	66KV Morbi A			
204	Morbi	Morbi	66KV Vaghpar	40-50		
205	Morbi	Morbi	66KV Khirai			
206	Morbi	Morbi	66KV Lakhdirpur			
207	Morbi	Morbi	66KV Mahendranagar	20-25		
208	Morbi	Morbi	66KV Ghuntu			
209	Morbi	Morbi	66KV Bharatnagar	40-50		
210	Morbi	Morbi	66KV Unchimandal	40-50		
211	Morbi	Morbi	66KV Ghuntu-II			
212	Morbi	Morbi	66KV Rangpar(2)	50-70		
213	Morbi	Morbi	66KV Rangpar			
214	Morbi	Morbi	66KV Bela			
215	Morbi	Morbi	66KV Amreli road	30-40		
216	Morbi	Morbi	66KV Vajepar			
217	Morbi	Morbi	66KV Morbi B			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark
Saurashtra						
218	Morbi	Morbi	220/66KV Lalpar	50-70	220 KV Lalpar	Maximum 50-70 MW RE injection feasible
219	Morbi	Morbi	66KV Kalikanagar	50-70		
220	Morbi	Morbi	66KV Trajpar			
221	Morbi	Morbi	66KV Shobheshwar			
222	Morbi	Morbi	66KV Lilapar	40-50		
223	Morbi	Morbi	66KV Ravapar	30-35		
224	Morbi	Morbi	66KV Old Rafeleshwar			
225	Morbi	Morbi	66KV Jambudiya	40-50		
226	Morbi	Wankaner	220/66KV Wankaner	50-70	220 KV Wankaner	Maximum 50-70 MW RE injection
227	Morbi	Wankaner	66KV Dhuva	25-30		
228	Morbi	Wankaner	66KV Makansar(Dhuva 2)			
229	Morbi	Wankaner	132/66KV Vaghasiya	50-70	132 KV Vaghasiya	--
230	Morbi	Wankaner	66KV Bhojapara	30-40		
231	Morbi	Wankaner	66KV Lakhaddhar(2)	50-70		
232	Morbi	Wankaner	220/66KV Sartanpar	50-70	220 KV Sartanpar	Maximum 50-70 MW RE injection feasible
233	Morbi	Wankaner	66KV Lakaddhar	20-25		
234	Morbi	Wankaner	66KV Sartanpar	50-70		
235	Morbi	Morbi	66KV Paneli	30-40		
236	Morbi	Wankaner	66KV Ratavirda(2)			
237	Morbi	Wankaner	66KV Ratavirda			
238	Morbi	Wankaner	66KV Matel(2)	40-50		
239	Morbi	Morbi	66KV Rafadeshwar			
240	Morbi	Halvad	400/220/66KV Mansar (Halvad)	50-70	400 KV Mansar	Maximum 50-70 MW RE
241	Morbi	Halvad	66KV Halvad(3)	40-50	220 KV Charadava	Maximum 50-70 MW RE injection feasible
242	Morbi	Halvad	220/66KV Chardava	50-70		
243	Morbi	Morbi	66KV Nichi Mandal	40-50		
244	Morbi	Halvad	220/66KV Halvad	50-70	220 KV Halvad	Maximum 50-70 MW RE injection feasible
245	Surendranagar	Dhrangadhra	66KV Ratanpar	25-30		
246	Morbi	Halvad	66KV Dhavana			
247	Surendranagar	Dhrangadhra	66KV Gurukul	25-30		
248	Surendranagar	Dhrangadhra	66KV Soldi			
249	Morbi	Halvad	66KV Bhalgamda	30-40		
250	Morbi	Halvad	66KV Malaniyad	30-40		
251	Morbi	Halvad	66KV Ghanshyamgad	25-30		
252	Morbi	Halvad	66KV Ranekpar	25-30		
253	Morbi	Halvad	66KV Halwad	25-30		
254	Morbi	Halvad	66KV Halvad-2(GIDC)			

Details of district wise substations for RE integration as on March-2022

- Note:
- (1) This list is indicative only and does not stipulate available evacuation capacity at these substations.
 - (2) Based on application for connectivity by applicant, feasibility of point of interconnection and strengthening requirement, if any, shall be assessed.
 - (3) Maximum RE power integration at 66 KV level shall be upto 30-50 MW for each 66 KV outlet from EHV substation and 40-70 MW at 66 KV Bus of EHV substation.
 - (4) RE power integration at EHV level shall be finalized after detailed system study.
 - (5) The availability of required feeder bays at each GETCO substation is to be checked separately after receipt of an application. In case of line bay issue at a specified substation, developer has to select nearby substation from the list.
 - (6) Total maximum capacity for respective EHV substation (specifically in Saurashtra area) shall be limited to the quantum mentioned. In case more than one bidder in same cluster, the connectivity shall be granted to lowest tariff bidder.

Sr. No.	Name of District	Name of Taluka	Name of Substation	Tentative feasible RE integration (in MW)	Name of EHV Source S/S	Remark	
Saurashtra							
255	Surendranagar	Dhrangadhra	220/66KV Dhrangadhra	50-70	220 KV Dhrangadhra	Maximum 50-70 MW RE injection feasible	
256	Surendranagar	Dhrangadhra	66KV Baisabgadh	30-40			
257	Surendranagar	Dhrangadhra	66KV Chuli	20-40			
258	Surendranagar	Dhrangadhra	66KV Navalgadh				
259	Surendranagar	Dhrangadhra	66KV Dhrangadhra				
260	Surendranagar	Wadhwan	66KV Nagara				
261	Surendranagar	Wadhwan	66KV Khodu	25-30			
262	Surendranagar	Dhrangadhra	66KV Kankawati				
263	Morbi	Halvad	66KV Ranmalpur	220 KV Sadla			Maximum 50-70 MW RE injection feasible
264	Surendranagar	Dhrangadhra	66KV Juna Ghanshyamgadh				
265	Surendranagar	Muli	220/66KV Sadla		30-40		
266	Surendranagar	Dhrangadhra	66KV Kondh				
267	Surendranagar	Muli	66KV Virpar (Dadholiya)				
268	Surendranagar	Muli	66KV Sara				
269	Surendranagar	Muli	66KV Liya		20-25		
270	Morbi	Halvad	66KV Dighadiya				
271	Surendranagar	Thangadh	66KV Than(2)				
272	Surendranagar	Thangadh	66KV Tarnetar		30-70		
273	Surendranagar	Muli	66KV Umarda				
274	Surendranagar	Muli	66KV Dholiya	20-25			
275	Surendranagar	Thangadh	66KV Devpara				
276	Surendranagar	Wadhwan	66KV Dudhrej	30-40			
277	Surendranagar	Wadhwan	66KV Kherali				
278	Surendranagar	Muli	66KV Vadadhra	30-40			
279	Surendranagar	Dhrangadhra	66KV Narichana				
280	Surendranagar	Dhrangadhra	66KV Rampara	100-120	220 KV Babara	--	
281	Amreli	Babara	220/66KV Babara				